Mr. John Hamm Liter's of Indiana, Inc. dba Dearborn County River Terminial 11048 Highway 56 Aurora, Indiana 47001

Re: **029-14233-00031**

Notice-only change to MSOP 029-10739-00031

Dear Mr. Hamm:

Liter's Quarry of Indiana, Inc. dba Dearborn County River Terminal was issued a permit on February 16, 2000 for the construction and operation of a barge unloading and truck loading operation for sand, gravel and crushed limestone. A letter notifying the Office of Air Quality of a name change and the construction of an additional conveyor belt and storage bin was received on April 2, 2001. This construction does not change the potential to emit of any regulated pollutant. Pursuant to the provisions of 326 IAC 2-6.1-6 the permit is hereby revised as follows:

(a) Name Change

From: Liter's Quarry of Indiana, Inc. dba Dearborn County River Terminal

To: Liter's of Indiana, Inc. dba Dearborn County River Terminal

(b) The addition of one (1) conveyor and one (1) storage bin in Sections A2 and D1.

A.2 Emissions Units and Pollution Control Equipment Summary

This stationary source is approved to construct and operate the following emissions units and pollution control devices:

- one barge unloading and truck loading operation, unloading a maximum of 150 tons of sand, gravel, crushed limestone, coal, coke, fertilizer, salt, grain, slag, potash, and crushed glass per hour, consisting of the following equipment:
 - (a) one (1) crane for unloading barges;
 - (b) five (5) six (6) conveyors, with a continuous wetting system for fugitive particulate matter control:
 - (c) one (1) sand, one (1) gravel, five (5) crushed limestone, two (2) limestone, and one (1) agriculture lime storage piles, each with a maximum storage capacity of 10,000 tons;
 - (d) one (1) coal storage pile and one (1) storage pile for other material, each with a maximum storage capacity of 5,000 tons; and
 - (e) one (1) front end loader for loading trucks; and
 - (f) one (1) fifty (50) ton storage bin.

NEW SOURCE CONSTRUCTION PERMIT and MINOR SOURCE OPERATING PERMIT Office of Air Quality

Liter's Indiana, Inc. dba Dearborn County River Terminal 11048 Highway 56 Aurora, Indiana 47001

(herein known as the Permittee) is hereby authorized to construct and operate subject to the conditions contained herein, the emission units described in Section A (Source Summary) of this permit.

This permit is issued to the above mentioned company under the provisions of 326 IAC 2-1.1, 326 IAC 2-5.1, 326 IAC 2-6.1 and 40 CFR 52.780, with conditions listed on the attached pages.

peration Permit No.: MSOP 029-10739-00031				
Issued by:	Issuance Date: February 16, 2000			
Paul Dubenetzky, Branch Chief Office of Air Quality	Expiration Date: February 16, 2005			
Notice-Only Change No.: 029-14233-00031				
Issued by: Original signed by Paul Dubenetzky Paul Dubenetzky, Branch Chief Office of Air Quality	Issuance Date: April 30, 2001			

TABLE OF CONTENTS

Α		\sim 11F	\sim	SUN	A B A A	-
Δ	_		,	▼ 1111	/I I/I Z	\ ~ Y

- General Information [326 IAC 2-5.1-3(c)] [326 IAC 2-6.1-4(a)] A.1
- A.2 Emission Units and Pollution Control Equipment Summary

В **GENERAL CONSTRUCTION CONDITIONS**

- Permit No Defense [IC 13] B.1
- B.2 **Definitions**
- Effective Date of the Permit [IC 13-15-5-3] B.3
- B.4 Revocation of Permits [326 IAC 2-1.1-9(5)]
- B.5 Modification to Permit [326 IAC 2]
- B.6 Minor Source Operating Permit [326 IAC 2-6.1]

C **SOURCE OPERATION CONDITIONS**

- PSD Minor Source Status [326 IAC 2-2]
- C.2 Preventive Maintenance Plan [326 IAC 1-6-3]
- C.3 Permit Revision [326 IAC 2-5.1-3(e)(3)] [326 IAC 2-6.1-6]
- C.4 Inspection and Entry [326 IAC 2-5.1-3(e)(4)(B)] [326 IAC 2-6.1-5(a)(4)]
- C.5 Transfer of Ownership or Operation [326 IAC 2-6.1-6(d)(3)]
- C.6 Permit Revocation [326 IAC 2-1-9]
- C.7 Opacity [326 IAC 5-1]
- Fugitive Dust Emissions [326 IAC 6-4] C.8
- C.9 Fugitive Particulate Matter Emission Limitations [326 IAC 6-5]
- C.10 Performance Testing [326 IAC 3-6]
- C.11 Compliance Monitoring [326 IAC 2-1.1-11]
- C.12 Monitoring Methods [326 IAC 3]
- C.13 Actions Related to Noncompliance Demonstrated by a Stack Test

Record Keeping and Reporting Requirements

- Malfunctions Report [326 IAC 1-6-2] C.14
- Monitoring Data Availability [326 IAC 2-6.1-2] [IC 13-14-1-3] C.15
- General Record Keeping Requirements [326 IAC 2-6.1-2] C.16
- C.17 General Reporting Requirements [326 IAC 2-1.1-11] [326 IAC 2-6.1-2] [IC 13-14-1-13]

D.1 Emissions unit OPERATION CONDITIONS - Barge Unloading and Truck Loading

Emission Limitations and Standards

- Particulate Matter (PM) and Particulate Matter 10 Microns (PM-10) [326 IAC 6-3] [326 D.1.1 IAC 2-71
- Opacity [326 IAC 6-5] D.1.2

Compliance Determination Requirements

- D.1.3 Testing Requirements
- D.1.4 Particulate Matter (PM)

Annual Notification Malfunction Report

Semi-annual Compliance Monitoring Report

Notice-Only Change 029-14233 Amended by: Linda Quigley/EVP MSOP 029-10739-00031

Page 3 of 19

Permit Reviewer: TE/EVP

SECTION A

SOURCE SUMMARY

This permit is based on information requested by the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ). The information describing the source contained in conditions A.1 through A.2 is descriptive information and does not constitute enforceable conditions. However, the Permittee should be aware that a physical change or a change in the method of operation that may render this descriptive information obsolete or inaccurate may trigger requirements for the Permittee to obtain additional permits or seek modification of this permit pursuant to 326 IAC 2, or change other applicable requirements presented in the permit application.

General Information [326 IAC 2-5.1-3(c)] [326 IAC 2-6.1-4(a)]

The Permittee owns and operates a stationary barge unloading and truck loading operation for sand, gravel and crushed limestone.

Authorized Individual: John Hamm

Source Address: 11048 Highway 56, Aurora, Indiana 47001 Mailing Address: 11048 Highway 56, Aurora, Indiana 47001

Phone Number: 812-926-1108

SIC Code: 3299 County Location: Dearborn

County Status: Attainment for all criteria pollutants Source Status: Minor Source Operating Permit Minor Source, under PSD Rules

A.2 Emissions Units and Pollution Control Equipment Summary

This stationary source is approved to construct and operate the following emissions units and pollution control devices:

- (1) one barge unloading and truck loading operation, unloading a maximum of 150 tons of sand, gravel, crushed limestone, coal, coke, fertilizer, salt, grain, slag, potash, and crushed glass per hour, consisting of the following equipment:
 - one (1) crane for unloading barges;
 - six (6) conveyors, with a continuous wetting system for fugitive particulate matter (b) control;
 - (c) one (1) sand, one (1) gravel, five (5) crushed limestone, two (2) limestone, and one (1) agriculture lime storage piles, each with a maximum storage capacity of 10.000 tons:
 - one (1) coal storage pile and one (1) storage pile for other material, each with a (d) maximum storage capacity of 5.000 tons:
 - one (1) front end loader for loading trucks; and (e)
 - one (1) fifty (50) ton storage bin. (f)
- (2) a one (1) lane unpaved crushed limestone roadway to the storage piles, with watering for fugitive particulate matter control.

Page 4 of 19

Permit Reviewer: TE/EVP

SECTION B GENERAL CONSTRUCTION CONDITIONS

THIS SECTION OF THE PERMIT IS BEING ISSUED UNDER THE PROVISIONS OF 326 IAC 2-1.1 AND 40 CFR 52.780, WITH CONDITIONS LISTED BELOW.

B.1 Permit No Defense [IC 13]

This permit to construct does not relieve the Permittee of the responsibility to comply with the provisions of the Indiana Environmental Management Law (IC 13-11 through 13-20; 13-22 through 13-25; and 13-30), the Air Pollution Control Law (IC 13-17) and the rules promulgated thereunder, as well as other applicable local, state, and federal requirements.

B.2 Definitions

Terms in this permit shall have the definition assigned to such terms in the referenced regulation. In the absence of definitions in the referenced regulation, any applicable definitions found in IC 13-11, 326 IAC 1-2, and 326 IAC 2-1.1-1 shall prevail.

B.3 Effective Date of the Permit [IC13-15-5-3]

Pursuant to IC 13-15-5-3, this permit becomes effective upon its issuance.

B.4 Revocation of Permits [326 IAC 2-1.1-9(5)]

Pursuant to 326 IAC 2-1.1-9(5)(Revocation of Permits), the Commissioner may revoke this permit if construction is not commenced within eighteen (18) months after receipt of this approval or if construction is suspended for a continuous period of one (1) year or more.

B.5 Modification to Permit [326 IAC 2]

Notwithstanding Condition B.6, all requirements and conditions of this construction permit shall remain in effect unless modified in a manner consistent with procedures established for modifications of construction permits pursuant to 326 IAC 2 (Permit Review Rules).

B.6 Minor Source Operating Permit [326 IAC 2-6.1]

This document shall also become a minor source operating permit pursuant to 326 IAC 2-6.1 when, prior to start of operation, the following requirements are met:

- The attached affidavit of construction shall be submitted to the Office of Air Quality (a) (OAQ), Permit Administration & Development Section, verifying that the emissions units were constructed as proposed in the application. The emissions units covered in the New Source Construction Permit may begin operating on the date the affidavit of construction is postmarked or hand delivered to IDEM.
- (b) If construction is completed in phases; i.e., the entire construction is not done continuously, a separate affidavit must be submitted for each phase of construction. Any permit conditions associated with operation start up dates such as stack testing for New Source Performance Standards (NSPS) shall be applicable to each individual phase.
- The Permittee shall receive an Operation Permit Validation Letter from the Chief of the (c) Permit Administration & Development Section and attach it to this document.
- (d) The operation permit will be subject to annual operating permit fees pursuant to 326 IAC 2-1.1-7(Fees).

Liter's Quarry of Indiana, Inc. dba Dearborn County River Terminal Aurora, Indiana

Notice-Only Change 029-14233 Amended by: Linda Quigley/EVP MSOP 029-10739-00031

Page 5 of 19

Permit Reviewer: TE/EVP

Pursuant to 326 IAC 2-6.1-7, the Permittee shall apply for an operation permit renewal at (e) least ninety (90) days prior to the expiration date established in the validation letter. If IDEM, OAQ, upon receiving a timely and complete permit application, fails to issue or deny the permit renewal prior to the expiration date of this permit, this existing permit shall not expire and all terms and conditions shall continue in effect until the renewal permit has been issued or denied. The operation permit issued shall contain as a minimum the conditions in Section C and Section D of this permit.

Page 6 of 19

Permit Reviewer: TE/EVP

SECTION C SOURCE OPERATION CONDITIONS

Entire Source

PSD Minor Source Status [326 IAC 2-2] [40 CFR 52.21] C.1

- The total source potential to emit of PM and PM-10 is less than 100 tons per year. Therefore the requirements of 326 IAC 2-7 (Part 70 Permit Program), 326 IAC 2-2 (Prevention of Significant Deterioration) and 40 CFR 52.21 will not apply.
- (b) Any change or modification which may increase potential to emit to 250 tons per year from this source, shall cause this source to be considered a major source under PSD, 326 IAC 2-2 and 40 CFR 52.21, and shall require approval from IDEM, OAQ prior to making the change.

Preventive Maintenance Plan [326 IAC 1-6-3] C.2

- If required by specific condition(s) in Section D of this permit, the Permittee shall prepare and maintain Preventive Maintenance Plans (PMP) within ninety (90) days after issuance of this permit, including the following information on each emissions unit:
 - Identification of the individual(s) responsible for inspecting, maintaining, and (1) repairing emission control devices:
 - (2) A description of the items or conditions that will be inspected and the inspection schedule for said items or conditions:
 - (3) Identification and quantification of the replacement parts that will be maintained in inventory for quick replacement.

If due to circumstances beyond its control, the PMP cannot be prepared and maintained within the above time frame, the Permittee may extend the date an additional ninety (90) days provided the Permittee notifies:

Indiana Department of Environmental Management Compliance Branch, Office of Air Quality 100 North Senate Avenue, P. O. Box 6015 Indianapolis, Indiana 46206-6015

- The Permittee shall implement the Preventive Maintenance Plans as necessary to ensure (b) that lack of proper maintenance does not cause or contribute to a violation of any limitation on emissions or potential to emit.
- PMP's shall be submitted to IDEM, OAQ, upon request and shall be subject to review and (c) approval by IDEM, OAQ.

Permit Revision [326 IAC 2-5.1-3(e)(3)] [326 IAC 2-6.1-6] C.3

- The Permittee must comply with the requirements of [326 IAC 2-6.1-6] whenever the Permittee seeks to amend or modify this permit.
- Any application requesting an amendment or modification of this permit shall be (b) submitted to:

Indiana Department of Environmental Management Permits Branch, Office of Air Quality 100 North Senate Avenue, P.O. Box 6015 Indianapolis, Indiana 46206-6015

Any such application should be certified by the "authorized individual" as defined by 326 IAC 2-1.1-1.

(c) The Permittee shall notify the OAQ within thirty (30) calendar days of implementing a notice-only change. [326 IAC 2-6.1-6(d)]

C.4 Inspection and Entry [326 IAC 2-5.1-3(e)(4)(B)] [326 IAC 2-6.1-5(a)(4)]

Upon presentation of proper identification cards, credentials, and other documents as may be required by law, the Permittee shall allow IDEM, OAQ, U.S. EPA, or an authorized representative to perform the following:

- (a) Enter upon the Permittee's premises where a permitted source is located, or emissions related activity is conducted, or where records must be kept under the conditions of this permit;
- (b) Have access to and copy, at reasonable times, any records that must be kept under this title or the conditions of this permit or any operating permit revisions;
- (c) Inspect, at reasonable times, any processes, emissions units (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit or any operating permit revisions;
- (d) Sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with this permit or applicable requirements; and
- (e) Utilize any photographic, recording, testing, monitoring, or other equipment for the purpose of assuring compliance with this permit or applicable requirements.
 - (1) The Permittee may assert a claim that, in the opinion of the Permittee, information removed or about to be removed from the source by IDEM, OAQ, or an authorized representative, contains information that is confidential under IC 5-14-3-4(a). The claim shall be made in writing before or at the time the information is removed from the source. In the event that a claim of confidentiality is so asserted, neither IDEM, OAQ, nor an authorized representative, may disclose the information unless and until IDEM, OAQ, makes a determination under 326 IAC 17-1-7 through 326 IAC 17-1-9 that the information is not entitled to confidential treatment and that determination becomes final. [IC 5-14-3-4; IC 13-14-11-3; 326 IAC 17-1-7 through 326 IAC 17-1-9]
 - (2) The Permittee, and IDEM, OAQ, acknowledge that the federal law applies to claims of confidentiality made by the Permittee with regard to information removed or about to be removed from the source by U.S. EPA. [40 CFR Part 2, Subpart B]

Liter's Quarry of Indiana, Inc. dba Dearborn County River Terminal Aurora, Indiana

Notice-Only Change 029-14233 Amended by: Linda Quigley/EVP MSOP 029-10739-00031

Page 8 of 19

Permit Reviewer: TE/EVP

Transfer of Ownership or Operation [326 IAC 2-6.1-6(d)(3)]

Pursuant to [326 IAC 2-6.1-6(d)(3)]:

- In the event that ownership of this source is changed, the Permittee shall notify IDEM, (a) OAQ, Permits Branch, within thirty (30) days of the change.
- (b) The written notification shall be sufficient to transfer the permit to the new owner by an notice-only change pursuant to 326 IAC 2-6.1-6(d)(3).
- (c) IDEM, OAQ, shall issue a revised permit.

The notification which shall be submitted by the Permittee does require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1.

C.6 Permit Revocation [326 IAC 2-1-9]

Pursuant to 326 IAC 2-1-9(a)(Revocation of Permits), this permit to construct and operate may be revoked for any of the following causes:

- Violation of any conditions of this permit. (a)
- (b) Failure to disclose all the relevant facts, or misrepresentation in obtaining this permit.
- (c) Changes in regulatory requirements that mandate either a temporary or permanent reduction of discharge of contaminants. However, the amendment of appropriate sections of this permit shall not require revocation of this permit.
- (d) Noncompliance with orders issued pursuant to 326 IAC 1-5 (Episode Alert Levels) to reduce emissions during an air pollution episode.
- For any cause which establishes in the judgment of IDEM, the fact that continuance of (e) this permit is not consistent with purposes of this article.

C.7 Opacity [326 IAC 5-1]

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Exemptions), opacity shall meet the following, unless otherwise stated in this permit:

- (a) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
- Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (b) (15) minutes (sixty (60) readings) as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor in a six (6) hour period.

C.8 Fugitive Dust Emissions [326 IAC 6-4]

The Permittee shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4 (Fugitive Dust Emissions). 326 IAC 6-4-2(4) is not federally enforceable.

Fugitive Particulate Matter Emission Limitations [326 IAC 6-5]

Pursuant to 326 IAC 6-5 (Fugitive Particulate Matter Emission Limitations), fugitive particulate matter emissions shall be controlled according to the plan submitted on March 12, 1999. The plan consists of:

- (a) Fugitive particulate matter emissions from unpayed roads shall be controlled by spraying with water from a water truck on an as needed basis.
- (b) Fugitive particulate matter emissions from conveyor transfers shall be controlled by continuous wetting.
- (c) Fugitive particulate matter emissions from storage piles shall be controlled by applying water on an as needed basis.

Testing Requirements

Performance Testing [326 IAC 3-6] C.10

All testing shall be performed according to the provisions of 326 IAC 3-6 (Source Sampling Procedures), except as provided elsewhere in this permit, utilizing methods approved by IDEM, OAQ.

A test protocol, except as provided elsewhere in this permit, shall be submitted to:

Indiana Department of Environmental Management Compliance Data Section, Office of Air Quality 100 North Senate Avenue, P. O. Box 6015 Indianapolis, Indiana 46206-6015

no later than thirty-five (35) days prior to the intended test date. The Permittee shall submit a notice of the actual test date to the above address so that it is received at least two weeks prior to the test date.

All test reports must be received by IDEM, OAQ within forty-five (45) days after the (b) completion of the testing. An extension may be granted by the Commissioner, if the source submits to IDEM, OAQ, a reasonable written explanation within five (5) days prior to the end of the initial forty-five (45) day period.

The documentation submitted by the Permittee does not require certification by the "authorized" individual" as defined by 326 IAC 2-1.1-1.

Compliance Monitoring Requirements

Compliance Monitoring [326 IAC 2-1.1-11]

Compliance with applicable requirements shall be documented as required by this permit. The Permittee shall be responsible for installing any necessary equipment and initiating any required monitoring related to that equipment, no more than ninety (90) days after receipt of this permit. If due to circumstances beyond its control, this schedule cannot be met, the Permittee may extend the compliance schedule an additional ninety (90) days provided the Permittee notifies:

Indiana Department of Environmental Management Compliance Branch, Office of Air Quality 100 North Senate Avenue, P. O. Box 6015 Indianapolis, Indiana 46206-6015

Page 10 of 19

Permit Reviewer: TE/EVP

in writing, prior to the end of the initial ninety (90) day compliance schedule, with full justification of the reasons for the inability to meet this date. The notification which shall be submitted by the Permittee does require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1.

C.12 Monitoring Methods [326 IAC 3]

Any monitoring or testing performed to meet the applicable requirements of this permit shall be performed according to the provisions of 326 IAC 3, 40 CFR 60, Appendix A, or other approved methods as specified in this permit.

C.13 Actions Related to Noncompliance Demonstrated by a Stack Test

- When the results of a stack test performed in conformance with Section C -Performance Testing, of this permit exceed the level specified in any condition of this permit, the Permittee shall take appropriate corrective actions. The Permittee shall submit a description of these corrective actions to IDEM, OAQ, within thirty (30) days of receipt of the test results. The Permittee shall take appropriate action to minimize emissions from the affected emissions unit while the corrective actions are being implemented. IDEM, OAQ shall notify the Permittee within thirty (30) days, if the corrective actions taken are deficient. The Permittee shall submit a description of additional corrective actions taken to IDEM, OAQ within thirty (30) days of receipt of the notice of deficiency. IDEM, OAQ reserves the authority to use enforcement activities to resolve noncompliant stack tests.
- (b) A retest to demonstrate compliance shall be performed within one hundred twenty (120) days of receipt of the original test results. Should the Permittee demonstrate to IDEM, OAQ that retesting in one-hundred and twenty (120) days is not practicable, IDEM, OAQ may extend the retesting deadline. Failure of the second test to demonstrate compliance with the appropriate permit conditions may be grounds for immediate revocation of the permit to operate the affected emissions unit.

The documents submitted pursuant to this condition do not require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1.

Record Keeping and Reporting Requirements

Malfunctions Report [326 IAC 1-6-2]

Pursuant to 326 IAC 1-6-2 (Records; Notice of Malfunction):

- (a) A record of all malfunctions, including startups or shutdowns of any facility or emission control equipment, which result in violations of applicable air pollution control regulations or applicable emission limitations shall be kept and retained for a period of three (3) years and shall be made available to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) or appointed representative upon request.
- When a malfunction of any facility or emission control equipment occurs which lasts (b) more than one (1) hour, said condition shall be reported to OAQ, using the Malfunction Report Forms (2 pages). Notification shall be made by telephone or facsimile, as soon as practicable, but in no event later than four (4) daytime business hours after the beginning of said occurrence.

- Failure to report a malfunction of any emission control equipment shall constitute a (c) violation of 326 IAC 1-6, and any other applicable rules. Information of the scope and expected duration of the malfunction shall be provided, including the items specified in 326 IAC 1-6-2(a)(1) through (6).
- (d) Malfunction is defined as any sudden, unavoidable failure of any air pollution control equipment, process, or combustion or process equipment to operate in a normal and usual manner. [326 IAC 1-2-39]

C.15 Monitoring Data Availability [326 IAC 2-6.1-2] [IC 13-14-1-13]

- With the exception of performance tests conducted in accordance with Section C-Performance Testing, all observations, sampling, maintenance procedures, and record keeping, required as a condition of this permit shall be performed at all times the equipment is operating at normal representative conditions.
- (b) As an alternative to the observations, sampling, maintenance procedures, and record keeping of subsection (a) above, when the equipment listed in Section D of this permit is not operating, the Permittee shall either record the fact that the equipment is shut down or perform the observations, sampling, maintenance procedures, and record keeping that would otherwise be required by this permit.
- (c) If the equipment is operating but abnormal conditions prevail, additional observations and sampling should be taken with a record made of the nature of the abnormality.
- (d) If for reasons beyond its control, the operator fails to make required observations. sampling, maintenance procedures, or record keeping, reasons for this must be recorded.
- (e) At its discretion, IDEM may excuse such failure providing adequate justification is documented and such failures do not exceed five percent (5%) of the operating time in any quarter.
- (f) Temporary, unscheduled unavailability of staff qualified to perform the required observations, sampling, maintenance procedures, or record keeping shall be considered a valid reason for failure to perform the requirements stated in (a) above.

General Record Keeping Requirements [326 IAC 2-6.1-2] C.16

- Records of all required monitoring data and support information shall be retained for a period of at least five (5) years from the date of monitoring sample, measurement, report, or application. These records shall be kept at the source location for a minimum of three (3) years and available upon the request of an IDEM, OAQ, representative. The records may be stored elsewhere for the remaining two (2) years as long as they are available upon request. If the Commissioner makes a written request for records to the Permittee, the Permittee shall furnish the records to the Commissioner within a reasonable time.
- (b) Records of required monitoring information shall include, where applicable:
 - (1) The date, place, and time of sampling or measurements;
 - (2) The dates analyses were performed;

- (3) The company or entity performing the analyses;
- (4) The analytic techniques or methods used;
- (5) The results of such analyses; and
- (6) The operating conditions existing at the time of sampling or measurement.
- (c) Support information shall include, where applicable:
 - (1) Copies of all reports required by this permit;
 - (2) All original strip chart recordings for continuous monitoring instrumentation;
 - (3) All calibration and maintenance records;
 - (4) Records of preventive maintenance shall be sufficient to demonstrate that improper maintenance did not cause or contribute to a violation of any limitation on emissions or potential to emit. To be relied upon subsequent to any such violation, these records may include, but are not limited to: work orders, parts inventories, and operator's standard operating procedures. Records of response steps taken shall indicate whether a deviation from a permit condition was reported. All records shall briefly describe what maintenance and response steps were taken and indicate who performed the tasks.
- (d) All record keeping requirements not already legally required shall be implemented within ninety (90) days of permit issuance.

C.17 General Reporting Requirements [326 IAC 2-1.1-11] [326 IAC 2-6.1-2] [IC 13-14-1-13]

- (a) To affirm that the source has met all the compliance monitoring requirements stated in this permit the source shall submit a Semi-annual Compliance Monitoring Report. Any deviation from the requirements and the date(s) of each deviation must be reported. The Compliance Monitoring Report shall include the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).
- (b) The report required in (a) of this condition and reports required by conditions in Section D of this permit shall be submitted to:

Indiana Department of Environmental Management Compliance Data Section, Office of Air Quality 100 North Senate Avenue, P. O. Box 6015 Indianapolis, Indiana 46206-6015

- (c) Unless otherwise specified in this permit, any notice, report, or other submission required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ, on or before the date it is due.
- (d) Unless otherwise specified in this permit, any semi-annual report shall be submitted within thirty (30) days of the end of the reporting period. The report does not require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1(1).

- (e) All instances of deviations must be clearly identified in such reports. A reportable deviation is an exceedance of a permit limitation or a failure to comply with a requirement of the permit or a rule. It does not include:
 - (1) An excursion from compliance monitoring parameters as identified in Section D of this permit unless tied to an applicable rule or limit; or
 - (2) A malfunction as described in 326 IAC 1-6-2; or
 - Failure to implement elements of the Preventive Maintenance Plan unless lack (3) of maintenance has caused or contributed to a deviation.
 - (4) Failure to make or record information required by the compliance monitoring provisions of Section D unless such failure exceeds 5% of the required data in any calendar quarter.

A Permittee's failure to take the appropriate response step when an excursion of a compliance monitoring parameter has occurred or failure to monitor or record the required compliance monitoring is a deviation.

- (f) Any corrective actions or response steps taken as a result of each deviation must be clearly identified in such reports.
- (g) The first report shall cover the period commencing on the date of issuance of this permit and ending on the last day of the reporting period.

C.18 Annual Notification [326 IAC 2-6.1-5(a)(5)]

- Annual notification shall be submitted to the Office of Air Quality stating whether or not the source is in operation and in compliance with the terms and conditions contained in this permit.
- (b) Noncompliance with any condition must be specifically identified. If there are any permit conditions or requirements for which the source is not in compliance at any time during the year, the Permittee must provide a narrative description of how the source did or will achieve compliance and the date compliance was, or will be, achieved. The notification must be signed by an authorized individual.
- (c) The annual notice shall cover the time period from January 1 to December 31 of the previous year, and shall be submitted in the format attached no later than March 1 of each year to:

Compliance Data Section, Office of Air Quality Indiana Department of Environmental Management 100 North Senate Avenue, P.O. Box 6015 Indianapolis, IN 46206-6015

(d) The notification shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ, on or before the date it is due.

Notice-Only Change 029-14233 Amended by: Linda Quigley/EVP MSOP 029-10739-00031

Page 14 of 19

Permit Reviewer: TE/EVP

SECTION D.1

EMISSIONS UNIT OPERATION CONDITIONS

Emissions unit Description

- (1) one barge unloading and truck loading operation, unloading a maximum of 150 tons of sand, gravel, crushed limestone, coal, coke, fertilizer, salt, grain, slag, potash, and crushed glass per hour, consisting of the following equipment:
 - one (1) crane for unloading barges: (a)
 - six (6) conveyors, with a continuous wetting system for fugitive particulate matter (b)
 - one (1) sand, one (1) gravel, five (5) crushed limestone, two (2) limestone, and one (1) (c) agriculture lime storage piles, each with a maximum storage capacity of 10,000 tons;
 - (d) one (1) coal storage pile and one (1) storage pile for other material, each with a maximum storage capacity of 5,000 tons;
 - (e) one (1) front end loader for loading trucks; and
 - (f) one (1) fifty (50) ton storage bin.
- (2) a one (1) lane unpaved crushed limestone roadway to the storage piles, with watering for fugitive particulate matter control.

Emission Limitations and Standards

- Particulate Matter (PM) and Particulate Matter 10 Microns (PM-10) [326 IAC 6-3] [326 IAC 2-7] D.1.1
 - Pursuant to 326 IAC 6-3 (Process Operations), the allowable PM emission rate from the conveyors, storage piles, aggregate handling operation and truck loading operation shall not exceed 55.4 pounds per hour when operating at a process weight rate of 300,000 pounds per hour.

The pounds per hour limitation was calculated with the following equation:

Interpolation and extrapolation of the data for the process weight rate in excess of 60,000 pounds per hour shall be accomplished by use of the equation:

$$E = 55.0 \ P^{0.11} - 40$$
 where $E =$ rate of emission in pounds per hour; and $P =$ process weight rate in tons per hour

Any change or modification which may increase the potential PM-10 emissions to 100 (b) tons per year or more needs prior approval by the Office of Air Quality (OAQ) before such change may occur.

Opacity [326 IAC 6-5]

The measures described in the fugitive dust control plan in condition C.9 shall be carried out such that the following visible emission conditions are met:

- (1) Visible emissions from storage piles shall not exceed twenty percent (20%) in twenty four (24) consecutive readings in a six (6) minute period. This limitation may not apply during periods when application of control measures are ineffective or unreasonable due to sustained very high wind speeds.
- Visible emissions from unpaved roadways shall not exceed an average instantaneous (2) opacity of twenty percent (20%).
- Visible emissions from the material loading and unloading operations shall not exceed (3) an average instantaneous opacity of twenty percent (20%).

Page 15 of 19 Amended by: Linda Quigley/EVP MSOP 029-10739-00031

Compliance with these opacity limitations shall also meet the requirements of 326 IAC 5-1.

Compliance Determination Requirements

Testing Requirements [326 IAC 2-1.1-11] D.1.3

The Permittee is not required to test this emissions unit by this permit. However, IDEM may require compliance testing when necessary to determine if the emissions unit is in compliance. If testing is required by IDEM, compliance with the PM and PM-10 limits specified in Condition D.1.1 shall be determined by a performance test conducted in accordance with Section C -Performance Testing.

D.1.4 Particulate Matter (PM)

The continuous wetting system for PM control shall be in operation at all times when any of the five (5) conveyors are in operation while unloading sand, gravel, crushed limestone, coal, coke, slag, and crushed glass.

Compliance Monitoring Requirements [326 IAC 2-5.1-3(e)(2)] [326 IAC 2-6.1-5(a)(2)]

D.1.5 Visible Emissions Notations

- Visible emission notations of the storage piles, unpayed roadways, and the material (a) loading and unloading operations shall be performed once per shift during normal daylight operations. A trained employee shall record whether emissions are normal or abnormal.
- (b) For processes operated continuously, "normal" means those conditions prevailing, or expected to prevail, eighty percent (80%) of the time the process is in operation, not counting startup or shut down time.
- (c) In the case of batch or discontinuous operations, readings shall be taken during that part of the operation that would normally be expected to cause the greatest emissions.
- A trained employee is an employee who has worked at the plant at least one (1) month (d) and has been trained in the appearance and characteristics of normal visible emissions for that specific process.
- (e) The Compliance Response Plan for this unit shall contain troubleshooting contingency and response steps for when an abnormal emission is observed.

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT Office of Air Quality COMPLIANCE DATA SECTION

MINOR SOURCE OPERATING PERMIT ANNUAL NOTIFICATION

This form should be used to comply with the notification requirements under 326 IAC 2-6.1-5(a)(5).

Company Name:	Liter's of Indiana, Inc. dba Dearborn County River Terminal		
Address:	11048 Highway 56		
City:	Aurora, Indiana 47001		
Phone #:	812-926-1108		
MSOP #:	029-10739-00031		
hereby certify that [source	ce] is 9 still in operation. 9 no longer in operation.		
hereby certify that [sourc	ce] is 9 in compliance with the requirements of MSOP 029-10739-00031 . 9 not in compliance with the requirements of MSOP 029-10739-00031 .		
Authorized Individual (typed):		
Title:			
Signature:			
Date:			
	s or requirements for which the source is not in compliance, provide a narrative urce did or will achieve compliance and the date compliance was, or will be		
Noncompliance:			

Notice-Only Change 029-14233 Amended by: Linda Quigley/EVP MSOP 029-10739-00031

Page 17 of 19

Permit Reviewer: TE/EVP

MALFUNCTION REPORT

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT Office of Air Quality FAX NUMBER - 317 233-5967

This form should only be used to report malfunctions applicable to Rule 326 IAC 1-6 and to qualify for the exemption under 326 IAC 1-6-4.				
THIS FACILITY MEETS THE APPLICABILITY REQUIREMENTS BECAUSE IT HAS POTENTIAL TO EMIT 25 TONS/YEAR PARTICULATE MATTER?, 25 TONS/YEAR SULFUR DIOXIDE?, 25 TONS/YEAR NITROGEN OXIDES?, 25 TONS/YEAR VOC?, 25 TONS/YEAR HYDROGEN SULFIDE?, 25 TONS/YEAR TOTAL REDUCED SULFUR ?, 25 TONS/YEAR REDUCED SULFUR COMPOUNDS?, 25 TONS/YEAR FLUORIDES?, 100TONS/YEAR CARBON MONOXIDE?, 10 TONS/YEAR ANY SINGLE HAZARDOUS AIR POLLUTANT?, 25 TONS/YEAR ANY COMBINATION HAZARDOUS AIR POLLUTANT?, 1 TON/YEAR LEAD OR LEAD COMPOUNDS MEASURED AS ELEMENTAL LEAD?, OR IS A SOURCE LISTED UNDER 326 IAC 2-5.1-3(2)? EMISSIONS FROM MALFUNCTIONING CONTROL EQUIPMENT OR PROCESS EQUIPMENT CAUSED EMISSIONS IN EXCESS OF APPLICABLE LIMITATION				
THIS MALFUNCTION RESULTED IN A VIOLATION OF: 326 IAC OR, PERMIT CONDITION # AND/OR PERMIT LIMIT OF				
THIS INCIDENT MEETS THE DEFINITION OF 'MALFUNCTION' AS LISTED ON REVERSE SIDE? Y				
THIS MALFUNCTION IS OR WILL BE LONGER THAN THE ONE (1) HOUR REPORTING REQUIREMENT? Y				
COMPANY: Liter's of Indiana, Inc. dba Dearborn County River Terminal PHONE NO. (812) 926-1108 LOCATION: (CITY AND COUNTY) Aurora, Dearborn County PERMIT NO. MSOP 029-10739 AFS PLANT ID: 029-00031 AFS POINT ID: INSP: Warren Greiling CONTROL/PROCESS DEVICE WHICH MALFUNCTIONED AND REASON:				
DATE/TIME MALFUNCTION STARTED:// 19 AM / PN ESTIMATED HOURS OF OPERATION WITH MALFUNCTION CONDITION:				
DATE/TIME CONTROL EQUIPMENT BACK-IN SERVICE// 19AM/PM				
TYPE OF POLLUTANTS EMITTED: TSP, PM-10, SO2, VOC, OTHER: ESTIMATED AMOUNT OF POLLUTANT EMITTED DURING MALFUNCTION:				
MEASURES TAKEN TO MINIMIZE EMISSIONS:				
REASONS WHY FACILITY CANNOT BE SHUTDOWN DURING REPAIRS: CONTINUED OPERATION REQUIRED TO PROVIDE <u>ESSENTIAL</u> * SERVICES: CONTINUED OPERATION NECESSARY TO PREVENT INJURY TO PERSONS: CONTINUED OPERATION NECESSARY TO PREVENT SEVERE DAMAGE TO EQUIPMENT: INTERIM CONTROL MEASURES: (IF APPLICABLE)				
MALFUNCTION REPORTED BY:TITLE: (SIGNATURE IF FAXED)				
MALFUNCTION RECORDED BY:DATE:TIME:				

*SEE PAGE 2

Liter's Quarry of Indiana, Inc. dba Dearborn County River Terminal Aurora, Indiana

Notice-Only Change 029-14233 Amended by: Linda Quigley/EVP MSOP 029-10739-00031

Page 18 of 19

Permit Reviewer: TE/EVP

Please note - This form should only be used to report malfunctions applicable to Rule 326 IAC 1-6 and to qualify for the exemption under 326 IAC 1-6-4.

326 IAC 1-6-1 Applicability of rule

Sec. 1. This rule applies to the owner or operator of any facility required to obtain a permit under 326 IAC 2-5.1 or 326 IAC 2-6.1.

326 IAC 1-2-39 "Malfunction" definition

If this item is checked on the front, please explain rationale:

Sec. 39. Any sudden, unavoidable failure of any air pollution control equipment, process, or combustion or process equipment to operate in a normal and usual manner.

*Essential services are interpreted to mean those operations, such as, the providing of electricity by power plants. Continued operation solely for the economic benefit of the owner or operator shall not be sufficient reason why a facility cannot be shutdown during a control equipment shutdown.

Notice-Only Change 029-14233 Amended by: Linda Quigley/EVP MSOP 029-10739-00031

Page 19 of 19

Permit Reviewer: TE/EVP

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT Office of Air Quality **COMPLIANCE DATA SECTION**

MINOR SOURCE OPERATING PERMIT SEMI-ANNUAL COMPLIANCE MONITORING REPORT

Source Name: Source Address: Mailing Address: MSOP No.: Liter's of Indiana, Inc. dba Dearborn County River Terminal 11048 Highway 56, Aurora, Indiana 47001 11048 Highway 56, Aurora, Indiana 47001 MSOP 029-10739-00031					
	Months:	to	Year:		
stated in this pe compliance mor pages may be a Emergency/Dev	rmit. This report shall be nitoring requirements and ttached if necessary. Th	subming subming submits submit submits	met all the compliance mo tted semi-annually. Any de ate(s) of each deviation mu can be supplemented by a deviations occurred, pleas	eviation from the st be reported. Additional	
9 NO DEVIA	TIONS OCCURRED	THIS	REPORTING PERIOD).	
9 THE FOLL	OWING DEVIATION	s occ	CURRED THIS REPO	RTING PERIOD.	
Compliance Monitoring Requirement (e.g. Permit Condition D.1.3)			Number of Deviations	Date of each Deviation	
T C	Form Completed By:				

Attach a signed certification to complete this report.

Liter's of Indiana, Inc. dba Dearborn County River Terminal Aurora, Indiana

Permit Reviewer: Linda Quigley/EVP

SECTION D.1 EMISSIONS UNIT OPERATION CONDITIONS

Emissions unit Description

- (1) one barge unloading and truck loading operation, unloading a maximum of 150 tons of sand, gravel, crushed limestone, coal, coke, fertilizer, salt, grain, slag, potash, and crushed glass per hour, consisting of the following equipment:
 - (a) one (1) crane for unloading barges;
 - (b) five (5) six (6) conveyors, with a continuous wetting system for fugitive particulate matter control:

Page 2 of 2

Notice-Only Change: 029-14233-00031

- (c) one (1) sand, one (1) gravel, five (5) crushed limestone, two (2) limestone, and one (1) agriculture lime storage piles, each with a maximum storage capacity of 10,000 tons;
- (d) one (1) coal storage pile and one (1) storage pile for other material, each with a maximum storage capacity of 5,000 tons; and
- (e) one (1) front end loader for loading trucks; and
- (f) one (1) fifty (50) ton storage bin.
- (2) a one (1) lane unpaved crushed limestone roadway to the storage piles, with watering for fugitive particulate matter control.

The Office of Air Management (OAM) has changed its name to the Office of Air Quality (OAQ). This change was incorporated into the Notice-only change.

All other conditions of the permit shall remain unchanged and in effect. Please attach a copy of this letter and the following revised permit to the front of the original permit.

This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5. If you have any questions on this matter, please contact Linda Quigley, at (973) 575-2555, extension 3284.

Sincerely,

Original Signed by Paul Dubenetzky Paul Dubenetzky, Chief Permits Branch Office of Air Quality

Attachments Reviewer's Initials

cc: File - Dearborn County U.S. EPA, Region V

Dearborn County Health Department

Air Compliance Section Inspector - Warren Greiling

Compliance Data Section - Karen Nowak

Administrative and Development - Janet Mobley Technical Support and Modeling - Michelle Boner